

## ASPHALT DRIVEWAY PAVEMEN

SEWER OR WATER MAIN -

SELECT BACKFILL TAMPED—— IN 6" LAYERS TO 95% AASHTO DENSITY (MED T-99)

3'-0" MIN. COVER (12" MAIN & SMALLER)


4'-0" MIN. COVER (14" MAIN & LARGER)

8" CRUSHED
AGGREGATE —
BASE COURSE

2" TYPE #1 ASPHALT-SURFACE COURSE

SAWCUT

REPLACEMENT DETA



PAVEMENT REPLACEMENT SECTIONS COMMON PANEL 6

BERKELEY COUNTY WATER AND SANITATION POTABLE WATER & SANITARY SEWER STANDARDS

REVISED 08/01/08

REPLACEMENT DETAIL